

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15363934	Metri Pack 150SLD	Female	.75		European	HT21510404-1	TBD	R624 1404
15363934	Metri Pack 150SLD	Female	.50	20	European	HT21510404-1	TBD	R624 1404
15363934	Metri Pack 150SLD / TANG	Female	1	16	European	HT21510404-1	TBD	R624 1404
12147473	Ducon 6.3SLD	Female	1.5		European	HT66312409-1	TBD	R624 1409
12147473	Ducon 6.3SLD	Female	2.5		European	HT66312409-1	TBD	R624 1409
12147473	Ducon 6.3SLD	Female	2	14	European	HT66312409-1	TBD	R624 1409
15344632	Ducon 6.3SLD	Male	1.5		European	HT66312409-1	TBD	R624 1409
15344632	Ducon 6.3SLD	Male	2.5		European	HT66312409-1	TBD	R624 1409
15344632	Ducon 6.3SLD	Male	2	14	European	HT66312409-1	TBD	R624 1409
10724472	Ducon 1.5	Female	.75		European	HT60002410-1	TBD	R624 1410
10724472	Ducon 1.5	Female	.50	20	European	HT60002410-1	TBD	R624 1410
10724472	Ducon 1.5	Female	1	16	European	HT60002410-1	TBD	R624 1410
10726087	Ducon 1.5	Male	.75		European	HT60002410-1	TBD	R624 1410
10726087	Ducon 1.5	Male	.50	20	European	HT60002410-1	TBD	R624 1410
10726087	Ducon 1.5	Male	1	16	European	HT60002410-1	TBD	R624 1410
12147299	Ducon 1.5	Male	.75		European	HT60002410-1	TBD	R624 1410
12147299	Ducon 1.5	Male	.50	20	European	HT60002410-1	TBD	R624 1410
12147299	Ducon 1.5	Male	1	16	European	HT60002410-1	TBD	R624 1410
12147302	Ducon 1.5	Female	.75		European	HT60002410-1	TBD	R624 1410
12147302	Ducon 1.5	Female	.50	20	European	HT60002410-1	TBD	R624 1410
12147302	Ducon 1.5	Female	1	16	European	HT60002410-1	TBD	R624 1410
12147400	Ducon 2.8	Male	.75		European	HT60002410-1	TBD	R624 1410
12147400	Ducon 2.8	Male	.50	20	European	HT60002410-1	TBD	R624 1410
12147400	Ducon 2.8	Male	1	16	European	HT60002410-1	TBD	R624 1410
12147451	Ducon 2.8	Female	.75		European	HT60002410-1	TBD	R624 1410
12147451	Ducon 2.8	Female	.50	20	European	HT60002410-1	TBD	R624 1410
12147451	Ducon 2.8	Female	1	16	European	HT60002410-1	TBD	R624 1410
12147300	Ducon 1.5	Male	1.5		European	HT60002411-1	TBD	R624 1411
12147300	Ducon 1.5	Male	2.5		European	HT60002411-1	TBD	R624 1411
12147300	Ducon 1.5	Male	2	14	European	HT60002411-1	TBD	R624 1411
12147301	Ducon 2.8	Male	1.5		European	HT60002411-1	TBD	R624 1411
12147301	Ducon 2.8	Male	2.5		European	HT60002411-1	TBD	R624 1411
12147301	Ducon 2.8	Male	2	14	European	HT60002411-1	TBD	R624 1411
12147303	Ducon 1.5	Female	1.5		European	HT60002411-1	TBD	R624 1411

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12147303	Ducon 1.5	Female	2.5		European	HT60002411-1	TBD	R624 1411
12147303	Ducon 1.5	Female	2	14	European	HT60002411-1	TBD	R624 1411
12147304	Ducon 2.8	Female	1.5		European	HT60002411-1	TBD	R624 1411
12147304	Ducon 2.8	Female	2.5		European	HT60002411-1	TBD	R624 1411
12147304	Ducon 2.8	Female	2	14	European	HT60002411-1	TBD	R624 1411
12191818	GT 150SLD	Female	.35	22	European	HT11512413-1	TBD	R624 1413
12191818	GT 150SLD	Female	.50	20	European	HT11512413-1	TBD	R624 1413
12191819	GT 150SLD	Female	.75		European	HT11512413-1	TBD	R624 1413
12191819	GT 150SLD	Female	1	16	European	HT11512413-1	TBD	R624 1413
15305350	GT 150SLD	Female	.75		European	HT11512413-1	TBD	R624 1413
15305350	GT 150SLD	Female	1	16	European	HT11512413-1	TBD	R624 1413
15326268	GT 150SLD	Male	.35	22	European	HT11512413-1	TBD	R624 1413
15326268	GT 150SLD	Male	.50	20	European	HT11512413-1	TBD	R624 1413
15326269	GT 150SLD	Male	.75		European	HT11512413-1	TBD	R624 1413
15326269	GT 150SLD	Male	1	16	European	HT11512413-1	TBD	R624 1413
15326426	GT 150SLD	Female	.35	22	European	HT11512413-1	TBD	R624 1413
15326426	GT 150SLD	Female	.50	20	European	HT11512413-1	TBD	R624 1413
15326427	GT 150SLD	Female	.75		European	HT11512413-1	TBD	R624 1413
15326427	GT 150SLD	Female	1	16	European	HT11512413-1	TBD	R624 1413
12158097	Ducon 1.5SLD	Female	.75		European	HT60012417-1	TBD	R624 1417
12158097	Ducon 1.5SLD	Female	.50	20	European	HT60012417-1	TBD	R624 1417
12158097	Ducon 1.5SLD	Female	1	16	European	HT60012417-1	TBD	R624 1417
12158098	Ducon 2.8SLD	Female	.75		European	HT60012417-1	TBD	R624 1417
12158098	Ducon 2.8SLD	Female	.50	20	European	HT60012417-1	TBD	R624 1417
12158098	Ducon 2.8SLD	Female	1	16	European	HT60012417-1	TBD	R624 1417
12158104	Ducon 1.5SLD	Male	.75		European	HT60012417-1	TBD	R624 1417
12158104	Ducon 1.5SLD	Male	.50	20	European	HT60012417-1	TBD	R624 1417
12158104	Ducon 1.5SLD	Male	1	16	European	HT60012417-1	TBD	R624 1417
12185129	Ducon 2.8SLD	Male	.75		European	HT60012417-1	TBD	R624 1417
12185129	Ducon 2.8SLD	Male	.50	20	European	HT60012417-1	TBD	R624 1417
12185129	Ducon 2.8SLD	Male	1	16	European	HT60012417-1	TBD	R624 1417
15337281	Metri Pack 150SLD	Female	1.5		European	HT21510418-1	TBD	R624 1418
15337281	Metri Pack 150SLD	Female	1	16	European	HT21510418-1	TBD	R624 1418
12066214	Metri Pack 280	Female	1.5		European	HT22800419-1	TBD	R624 1419

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12066214	Metri Pack 280	Female	1	16	European	HT22800419-1	TBD	R624 1419
12066214	Metri Pack 280	Female	2	14	European	HT22800419-1	TBD	R624 1419
12077413	Metri Pack 280SLD	Female	4		European	HT22810420-1	TBD	R624 1420
12077413	Metri Pack 280SLD	Female	3	12	European	HT22810420-1	TBD	R624 1420
15326266	GT 150SLD	Female	.35	22	European	HT11510422-1	TBD	R624 1422
15326266	GT 150SLD	Female	.50	20	European	HT11510422-1	TBD	R624 1422
12191298	GT 150	Female	.35	22	European	HT11500424-1	TBD	R624 1424
12191298	GT 150	Female	.50	20	European	HT11500424-1	TBD	R624 1424
12034046	Metri Pack 280	Female	.75		European	HT22800425-1	TBD	R624 1425
12034046	Metri Pack 280	Female	.50	20	European	HT22800425-1	TBD	R624 1425
12034046	Metri Pack 280	Female	1	16	European	HT22800425-1	TBD	R624 1425
15363933	Metri Pack 280 SLD	Male	1.5		European	HT22812426-1	TBD	R624 1426
15363933	Metri Pack 280 SLD	Male	1	16	European	HT22812426-1	TBD	R624 1426
15363933	Metri Pack 280 SLD	Male	2	14	European	HT22812426-1	TBD	R624 1426
10717964	Ducon 1.5SLD	Female	1.5		European	HT60012427-1	TBD	R624 1427
10717964	Ducon 1.5SLD	Female	2.5		European	HT60012427-1	TBD	R624 1427
10717964	Ducon 1.5SLD	Female	2	14	European	HT60012427-1	TBD	R624 1427
10724374	Ducon 1.5SLD	Male	1.5		European	HT60012427-1	TBD	R624 1427
10724374	Ducon 1.5SLD	Male	2.5		European	HT60012427-1	TBD	R624 1427
10724374	Ducon 1.5SLD	Male	2	14	European	HT60012427-1	TBD	R624 1427
12185008	Ducon 2.8SLD	Male	1.5		European	HT60012427-1	TBD	R624 1427
12185008	Ducon 2.8SLD	Male	2.5		European	HT60012427-1	TBD	R624 1427
12185008	Ducon 2.8SLD	Male	2	14	European	HT60012427-1	TBD	R624 1427
12185237	Ducon 2.8SLD	Male	1.5		European	HT60012427-1	TBD	R624 1427
12185237	Ducon 2.8SLD	Male	2.5		European	HT60012427-1	TBD	R624 1427
12185237	Ducon 2.8SLD	Male	2	14	European	HT60012427-1	TBD	R624 1427
12147474	Ducon 6.3SLD	Female	4		European	HT66312428-1	TBD	R624 1428
12147474	Ducon 6.3SLD	Female	6		European	HT66312428-1	TBD	R624 1428
10717927	Ducon 4.8SLD	Female	4		European	HT64812429-1	TBD	R624 1429
10717927	Ducon 4.8SLD	Female	6		European	HT64812429-1	TBD	R624 1429
10724435	Ducon 4.8SLD	Female	4		European	HT64812429-1	TBD	R624 1429
10724435	Ducon 4.8SLD	Female	6		European	HT64812429-1	TBD	R624 1429
15304720	GT 280SLD	Female	1.5		European	HT12812431-1	TBD	R624 1431
15304720	GT 280SLD	Female	2.5		European	HT12812431-1	TBD	R624 1431

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15304720	GT 280SLD	Female	2	14	European	HT12812431-1	TBD	R624 1431
15304720	GT 280SLD	Female	3	12	European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	1.5		European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	2.5		European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	2	14	European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	3	12	European	HT12812431-1	TBD	R624 1431
12110845	Metri Pack 280 Tangless SLD	Female	2.5		European	HT22810433-1	TBD	R624 1433
12110845	Metri Pack 280 Tangless SLD	Female	2	14	European	HT22810433-1	TBD	R624 1433
12110845	Metri Pack 280 Tangless SLD	Female	3	12	European	HT22810433-1	TBD	R624 1433
12129493	Metri Pack 280SLD	Female	2.5		European	HT22810433-1	TBD	R624 1433
12129493	Metri Pack 280SLD	Female	2	14	European	HT22810433-1	TBD	R624 1433
12129493	Metri Pack 280SLD	Female	3	12	European	HT22810433-1	TBD	R624 1433
12045773	Metri Pack 150SLD	Male	.75		European	HT21511435-1	TBD	R624 1435
12045773	Metri Pack 150SLD	Male	.50	20	European	HT21511435-1	TBD	R624 1435
12048254	Metri Pack 280SLD	Male	4		European	HT22811436-1	TBD	R624 1436
12048254	Metri Pack 280SLD	Male	3	12	European	HT22811436-1	TBD	R624 1436
12129497	Metri Pack 280SLD	Male	2.5		European	HT22811437-1	TBD	R624 1437
12129497	Metri Pack 280SLD	Male	2	14	European	HT22811437-1	TBD	R624 1437
12129497	Metri Pack 280SLD	Male	3	12	European	HT22811437-1	TBD	R624 1437
12077628	Metri Pack 150 SLD	Male	.35	22	European	HT21511439-1	TBD	R624 1439
12077628	Metri Pack 150 SLD	Male	.50	20	European	HT21511439-1	TBD	R624 1439
10724458	Ducon 9.5	Female	4		European	HT69500442-1	TBD	R624 1442
10724458	Ducon 9.5	Female	6		European	HT69500442-1	TBD	R624 1442
15423149	DHD 1.6	Female	1	16	USA	HT51602447-5	13782640	R624 1447
15424450	DHD 1.6	Female	1	16	USA	HT51602447-5	13782640	R624 1447
15424453	DHD 1.6	Female	.8	18	USA	HT51602447-5	13782640	R624 1447
15424450	DHD 1.6	Female	.80	18	European	HT51602447-1	TBD	R624 1447
15424450	DHD 1.6	Female	1	16	European	HT51602447-1	TBD	R624 1447
15424453	DHD 1.6	Male	1	16	European	HT51602447-1	TBD	R624 1447
15424453	DHD 1.6	Male	.80	18	European	HT51602447-1	TBD	R624 1447
12084912	Micro 100 W	Female	.75		European	HT42000448-1	TBD	R624 1448
12084912	Micro 100 W	Female	1	16	European	HT42000448-1	TBD	R624 1448
12084913	Micro 100 W	Female	.35	22	European	HT42000448-1	TBD	R624 1448
12084913	Micro 100 W	Female	.50	20	European	HT42000448-1	TBD	R624 1448

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12124580	Weather Pack Sealed	Female	1	16	European	HT31012449-5	TBD	R624 1449
12124581	Weather Pack Sealed	Female	2.5		European	HT31012449-5	TBD	R624 1449
10717508	Weather Pack Sealed	Male	1.5		European	HT31012451-1	TBD	R624 1451
10717508	Weather Pack Sealed	Male	2	14	European	HT31012451-1	TBD	R624 1451
10717508	Weather Pack Sealed	Male	2.5		European	HT31012451-1	TBD	R624 1451
10717510	Weather Pack Sealed	Female	1.5		European	HT31012451-1	TBD	R624 1451
10717510	Weather Pack Sealed	Female	2.5		European	HT31012451-1	TBD	R624 1451
10717510	Weather Pack Sealed	Female	2	14	European	HT31012451-1	TBD	R624 1451
12124580	Weather Pack Sealed	Female	1.5		European	HT31012451-1	TBD	R624 1451
12124580	Weather Pack Sealed	Female	1	16	European	HT31012451-1	TBD	R624 1451
12124580	Weather Pack Sealed	Female	2	14	European	HT31012451-1	TBD	R624 1451
12124582	Weather Pack Sealed	Male	1.5		European	HT31012451-1	TBD	R624 1451
12124582	Weather Pack Sealed	Male	1	16	European	HT31012451-1	TBD	R624 1451
12124582	Weather Pack Sealed	Male	2	14	European	HT31012451-1	TBD	R624 1451
12020801	Weather Pack Sealed	Female	.35	22	European	HT31012452-1	TBD	R624 1452
12034051	Weather Pack Sealed	Female	X		European	HT31012452-1	TBD	R624 1452
12089040	Weather Pack Sealed	Male	.75		European	HT31012452-1	TBD	R624 1452
12089040	Weather Pack Sealed	Male	.50	20	European	HT31012452-1	TBD	R624 1452
12089040	Weather Pack Sealed	Male	1	16	European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	.75		European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	.8	18	European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	.50	20	European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	1	16	European	HT31012452-1	TBD	R624 1452
12089307	Weather Pack Sealed	Female	.35	22	European	HT31012452-1	TBD	R624 1452
12131396	Ducon 0.8	Male	.75		European	HT60802453-1	TBD	R624 1453
12131396	Ducon 0.8	Male	.50	20	European	HT60802453-1	TBD	R624 1453
12131396	Ducon 0.8	Male	1	16	European	HT60802453-1	TBD	R624 1453
12131423	Ducon 0.8	Female	.75		European	HT60802453-1	TBD	R624 1453
12131423	Ducon 0.8	Female	.50	20	European	HT60802453-1	TBD	R624 1453
12131423	Ducon 0.8	Female	1	16	European	HT60802453-1	TBD	R624 1453
12064971	Metri Pack 150	Female	.35	22	European	HT21500454-1	TBD	R624 1454
12064971	Metri Pack 150	Female	.50	20	European	HT21500454-1	TBD	R624 1454
15317877	Metri Pack 150	Female	.35	22	European	HT21500454-1	TBD	R624 1454
15317877	Metri Pack 150	Female	.50	20	European	HT21500454-1	TBD	R624 1454

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15317878	Metri Pack 150	Female	.75		European	HT21500454-1	TBD	R624 1454
15317878	Metri Pack 150	Female	1	16	European	HT21500454-1	TBD	R624 1454
12048074	Metri Pack 150SLD	Female	.75		European	HT21510455-1	TBD	R624 1455
12048074	Metri Pack 150SLD	Female	1	16	European	HT21510455-1	TBD	R624 1455
12084200	Metri Pack 150SLD	Female	.35	22	European	HT21510455-1	TBD	R624 1455
12084200	Metri Pack 150SLD	Female	.50	20	European	HT21510455-1	TBD	R624 1455
15304718	GT 280SLD	Female	.35	22	European	HT12812456-1	TBD	R624 1456
15304718	GT 280SLD	Female	.50	20	European	HT12812456-1	TBD	R624 1456
15304719	GT 280SLD	Female	.75		European	HT12812456-1	TBD	R624 1456
15304719	GT 280SLD	Female	1	16	European	HT12812456-1	TBD	R624 1456
15304730	GT 280SLD	Male	.35	22	European	HT12812456-1	TBD	R624 1456
15304730	GT 280SLD	Male	.50	20	European	HT12812456-1	TBD	R624 1456
15304731	GT 280SLD	Male	.75		European	HT12812456-1	TBD	R624 1456
15304731	GT 280SLD	Male	1	16	European	HT12812456-1	TBD	R624 1456
15341541	MTS	Female	.35	22	European	HT43000457-1	TBD	R624 1457
15341541	MTS	Female	.50	20	European	HT43000457-1	TBD	R624 1457
15341542	MTS	Female	.75		European	HT43000457-1	TBD	R624 1457
15356826	Micro 64	Female	.35	22	European	HT46400458-1	TBD	R624 1458
15356826	Micro 64	Female	.50	20	European	HT46400458-1	TBD	R624 1458
15356827	Micro 64	Female	.75		European	HT46400458-1	TBD	R624 1458
12047581	Metri Pack 150	Male	.75		European	HT21501459-1	TBD	R624 1459
12047581	Metri Pack 150	Male	.50	20	European	HT21501459-1	TBD	R624 1459
12047581	Metri Pack 150	Male	1	16	European	HT21501459-1	TBD	R624 1459
12059894	Metri Pack 150	Male	.35	22	European	HT21501459-1	TBD	R624 1459
12059894	Metri Pack 150	Male	.50	20	European	HT21501459-1	TBD	R624 1459
12124075	Metri Pack 150(P2S)	Female	.75		European	HT21500460-1	TBD	R624 1460
12124075	Metri Pack 150(P2S)	Female	1	16	European	HT21500460-1	TBD	R624 1460
12124076	Metri Pack 150.2(P2S)	Female	.35	22	European	HT21500460-1	TBD	R624 1460
12124076	Metri Pack 150.2(P2S)	Female	.50	20	European	HT21500460-1	TBD	R624 1460
12129373	Metri Pack 150	Female	.35	22	European	HT21500461-1	TBD	R624 1461
12129373	Metri Pack 150	Female	.50	20	European	HT21500461-1	TBD	R624 1461
12129484	Metri Pack 150TNGLS	Female	.75		European	HT21500461-1	TBD	R624 1461
12129484	Metri Pack 150TNGLS	Female	1	16	European	HT21500461-1	TBD	R624 1461
12089290	Metri Pack 150(P2S)	Female	.35	22	European	HT21500462-1	TBD	R624 1462

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12089290	Metri Pack 150(P2S)	Female	.50	20	European	HT21500462-1	TBD	R624 1462
12103881	Metri Pack 150(P2S)	Female	.75		European	HT21500462-1	TBD	R624 1462
12103881	Metri Pack 150(P2S)	Female	1	16	European	HT21500462-1	TBD	R624 1462
12048159	Metri Pack 280SLD	Male	.75		European	HT22812463-1	TBD	R624 1463
12048159	Metri Pack 280SLD	Male	.50	20	European	HT22812463-1	TBD	R624 1463
12077411	Metri Pack 280SLD	Female	.75		European	HT22812463-1	TBD	R624 1463
12077411	Metri Pack 280SLD	Female	.50	20	European	HT22812463-1	TBD	R624 1463
12084201	Metri Pack 280SLD	Female	.35	22	European	HT22812463-1	TBD	R624 1463
12084201	Metri Pack 280SLD	Female	.50	20	European	HT22812463-1	TBD	R624 1463
12124977	Metri Pack 280SLD	Male	.35	22	European	HT22812463-1	TBD	R624 1463
12124977	Metri Pack 280SLD	Male	.50	20	European	HT22812463-1	TBD	R624 1463
12034047	Metri Pack 280	Male	.75		European	HT22801464-1	TBD	R624 1464
12034047	Metri Pack 280	Male	.50	20	European	HT22801464-1	TBD	R624 1464
12034047	Metri Pack 280	Male	1	16	European	HT22801464-1	TBD	R624 1464
12066271	Metri Pack 280	Male	.35	22	European	HT22801464-1	TBD	R624 1464
12066271	Metri Pack 280	Male	.50	20	European	HT22801464-1	TBD	R624 1464
12020116	Metri Pack 280	Male	1.5		European	HT22801465-1	TBD	R624 1465
12020116	Metri Pack 280	Male	1	16	European	HT22801465-1	TBD	R624 1465
12020116	Metri Pack 280	Male	2	14	European	HT22801465-1	TBD	R624 1465
12048451	Metri Pack 480SLD	Female	1.5		European	HT24812466-1	TBD	R624 1466
12048451	Metri Pack 480SLD	Female	2.5		European	HT24812466-1	TBD	R624 1466
12048451	Metri Pack 480SLD	Female	1	16	European	HT24812466-1	TBD	R624 1466
12048451	Metri Pack 480SLD	Female	2	14	European	HT24812466-1	TBD	R624 1466
12065196	Metri Pack 480SLD	Male	1.5		European	HT24812466-1	TBD	R624 1466
12065196	Metri Pack 480SLD	Male	1	16	European	HT24812466-1	TBD	R624 1466
12065196	Metri Pack 480SLD	Male	2	14	European	HT24812466-1	TBD	R624 1466
12020120	Metri Pack 480	Male	1.5		European	HT24802467-1	TBD	R624 1467
12020392	Metri Pack 480	Male	1	16	European	HT24802467-1	TBD	R624 1467
12020120	Metri Pack 480	Male	1	16	European	HT24802467-1	TBD	R624 1467
12020120	Metri Pack 480	Male	2	14	European	HT24802467-1	TBD	R624 1467
12124304	Metri Pack 480	Female	1.5		European	HT24802467-1	TBD	R624 1467
12124304	Metri Pack 480	Female	1	16	European	HT24802467-1	TBD	R624 1467
12124304	Metri Pack 480	Female	2	14	European	HT24802467-1	TBD	R624 1467
12052456	Metri Pack 630SLD	Female	4		European	HT26312468-1	TBD	R624 1468

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15305232	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12066560	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12052456	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12064736	Metri Pack 630SLD	Female	4		European	HT26312468-1	TBD	R624 1468
12064737	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12015870	Metri Pack 630	Female	1.5		European	HT26302469-1	TBD	R624 1469
12015870	Metri Pack 630	Female	1	16	European	HT26302469-1	TBD	R624 1469
12033982	Metri Pack 630	Female	1	16	European	HT26302469-1	TBD	R624 1469
12015839	Metri Pack 630	Female	1	16	European	HT26302469-1	TBD	R624 1469
12015870	Metri Pack 630	Female	2	14	European	HT26302469-1	TBD	R624 1469
12052224	Metri Pack 630	Female	2.5		European	HT26302469-1	TBD	R624 1469
12052224	Metri Pack 630	Female	3	12	European	HT26302469-1	TBD	R624 1469
12052826	Metri Pack 630	Male	2.5		European	HT26302469-1	TBD	R624 1469
12052826	Metri Pack 630	Male	3	12	European	HT26302469-1	TBD	R624 1469
12191811	GT 150	Female	.35	22	European	HT11502470-1	TBD	R624 1470
12191811	GT 150	Female	.50	20	European	HT11502470-1	TBD	R624 1470
12191812	GT 150	Female	.75		European	HT11502470-1	TBD	R624 1470
12191812	GT 150	Female	1	16	European	HT11502470-1	TBD	R624 1470
15304701	GT 150	Male	.35	22	European	HT11502470-1	TBD	R624 1470
15304701	GT 150	Male	.50	20	European	HT11502470-1	TBD	R624 1470
15304702	GT 150	Male	.75		European	HT11502470-1	TBD	R624 1470
15304702	GT 150	Male	1	16	European	HT11502470-1	TBD	R624 1470
15304710	GT 280	Female	.50	20	European	HT12802471-1	TBD	R624 1471
15304711	GT 280	Female	.75		European	HT12802471-1	TBD	R624 1471
15304711	GT 280	Female	1	16	European	HT12802471-1	TBD	R624 1471
15304722	GT 280	Male	.35	22	European	HT12802471-1	TBD	R624 1471
15304722	GT 280	Male	.50	20	European	HT12802471-1	TBD	R624 1471
15304723	GT 280	Male	.75		European	HT12802471-1	TBD	R624 1471
15304723	GT 280	Male	1	16	European	HT12802471-1	TBD	R624 1471
15304712	GT 280	Female	1.5		European	HT12802472-1	TBD	R624 1472
15304712	GT 280	Female	2.5		European	HT12802472-1	TBD	R624 1472
15304712	GT 280	Female	2	14	European	HT12802472-1	TBD	R624 1472
15304712	GT 280	Female	3	12	European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	1.5		European	HT12802472-1	TBD	R624 1472

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15304724	GT 280	Male	2.5		European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	2	14	European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	3	12	European	HT12802472-1	TBD	R624 1472
12185236	Ducon 4.8SLD	Male	1.5		European	HT64812473-1	TBD	R624 1473
12185236	Ducon 4.8SLD	Male	2.5		European	HT64812473-1	TBD	R624 1473
12185236	Ducon 4.8SLD	Male	2	14	European	HT64812473-1	TBD	R624 1473
12185550	Ducon 4.8SLD	Female	1.5		European	HT64812473-1	TBD	R624 1473
12185550	Ducon 4.8SLD	Female	2.5		European	HT64812473-1	TBD	R624 1473
12185550	Ducon 4.8SLD	Female	2	14	European	HT64812473-1	TBD	R624 1473
12089305	Weather Pack Sealed	Female	1	16	USA	HT31012476-5	13782641	R624 1476
12089305	Weather Pack Sealed	Male	1	16	USA	HT31012476-5	13782641	R624 1476
12089305	Weather Pack Sealed	Female	2	14	USA	HT31012476-5	13782641	R624 1476
12089305	Weather Pack Sealed	Male	2	14	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Female	1	16	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Male	1	16	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Female	2	14	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Male	2	14	USA	HT31012476-5	13782641	R624 1476
12124581	Weather Pack Sealed	Female	3	12	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Female	1	16	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Male	1	16	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Female	2	14	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Male	2	14	USA	HT31012476-5	13782641	R624 1476
12124587	Weather Pack Sealed	Male	3	12	USA	HT31012476-5	13782641	R624 1476
12124587	Weather Pack Sealed	Female	3	12	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Female	1	16	European	HT31012476-5	TBD	R624 1476
12124580	Weather Pack Sealed	Female	2	14	European	HT31012476-5	TBD	R624 1476
12124581	Weather Pack Sealed	Female	3	12	European	HT31012476-5	TBD	R624 1476
12124582	Weather Pack Sealed	Male	1	16	European	HT31012476-5	TBD	R624 1476
12124582	Weather Pack Sealed	Male	2	14	European	HT31012476-5	TBD	R624 1476
12124587	Weather Pack Sealed	Male	3	12	European	HT31012476-5	TBD	R624 1476
15359001	Micro Pack 100W	Female	.35	22	USA	HT42000480-5	13782642	R624 1480
15359001	Micro Pack 100W	Female	.5	20	USA	HT42000480-5	13782642	R624 1480
15359002	Micro Pack 100W	Female	.8	18	USA	HT42000480-5	13782642	R624 1480
15359001	Micro-Pack	Female	.35	22	European	HT42000480-5	TBD	R624 1480

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15359001	Micro-Pack	Female	.50	20	European	HT42000480-5	TBD	R624 1480
15359002	Micro-Pack	Female	.8	18	European	HT42000480-5	TBD	R624 1480
12020156	Metri Pack 630 P2S	Female	.5	20	USA	HT26300481-5	13782643	R624 1481
12020156	Metri Pack 630 P2S	Female	.8	18	USA	HT26300481-5	13782643	R624 1481
12066614	Metri Pack 630 P2S	Female	1	16	USA	HT26300481-5	13782643	R624 1481
12066614	Metri Pack 630 P2S	Female	2	14	USA	HT26300481-5	13782643	R624 1481
12966505	Metri Pack 630 P2S	Female	1	16	USA	HT26300481-5	13782643	R624 1481
12966505	Metri Pack 630 P2S	Female	2	14	USA	HT26300481-5	13782643	R624 1481
12020156	Metri Pack 630 P2S	Female	.50	20	USA	HT26300481-5	13782643	R624 1481
12020156	Metri Pack 630 P2S	Female	.80	18	USA	HT26300481-5	13782643	R624 1481
12052457	Metri Pack 630 Sealed	Female	.5	20	USA	HT26312482-5	13782644	R624 1482
12052457	Metri Pack 630 Sealed	Female	.8	18	USA	HT26312482-5	13782644	R624 1482
12064734	Metri Pack 630 Sealed	Male	.5	20	USA	HT26312482-5	13782644	R624 1482
12064734	Metri Pack 630 Sealed	Male	.8	18	USA	HT26312482-5	13782644	R624 1482
12176854	Metri Pack 630 P2S	Female	3	12	USA	HT26300483-5	13782645	R624 1483
12033997	Metri Pack 630 P2S	Female	3	12	USA	HT26300483-5	13782645	R624 1483
12176854	Metri Pack 630 P2S	Female	5	10	USA	HT26300483-5	13782645	R624 1483
12052456	Metri Pack 630 Sealed	Female	3	12	USA	HT26312484-5	13782646	R624 1484
12052456	Metri Pack 630 Sealed	Female	5	10	USA	HT26312484-5	13782646	R624 1484
12064736	Metri Pack 630 Sealed	Male	5	10	USA	HT26312484-5	13782646	R624 1484
12064737	Metri Pack 630 Sealed	Male	3	12	USA	HT26312484-5	13782646	R624 1484
12066560	Metri Pack 630 Sealed	Female	3	12	USA	HT26312484-5	13782646	R624 1484
12066560	Metri Pack 630 Sealed	Female	5	10	USA	HT26312484-5	13782646	R624 1484
15305232	Metri Pack 630 Sealed	Female	3	12	USA	HT26312484-5	13782646	R624 1484
15305232	Metri Pack 630 Sealed	Female	5	10	USA	HT26312484-5	13782646	R624 1484
12052456	Metri Pack 630 Sealed	Female	3	12	USA	HT26310484-5	13782646	R624 1484
12052456	Metri Pack 630 Sealed	Female	5	10	USA	HT26310484-5	13782646	R624 1484
12064736	Metri Pack 630 Sealed	Male	5	10	USA	HT26310484-5	13782646	R624 1484
12064737	Metri Pack 630 Sealed	Male	3	12	USA	HT26310484-5	13782646	R624 1484
15304710	GT 280 Unsealed	Female	.35	22	USA	HT12802485-5	13782647	R624 1485
15304710	GT 280 Unsealed	Female	.5	20	USA	HT12802485-5	13782647	R624 1485
15304711	GT 280 Unsealed	Female	.8	18	USA	HT12802485-5	13782647	R624 1485
15304711	GT 280 Unsealed	Female	1	16	USA	HT12802485-5	13782647	R624 1485
15304722	GT 280 Unsealed	Male	.35	22	USA	HT12802485-5	13782647	R624 1485

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15304722	GT 280 Unsealed	Male	.5	20	USA	HT12802485-5	13782647	R624 1485
15304723	GT 280 Unsealed	Male	.8	18	USA	HT12802485-5	13782647	R624 1485
15304723	GT 280 Unsealed	Male	1	16	USA	HT12802485-5	13782647	R624 1485
15304718	GT 280 Sealed	Female	.35	22	USA	HT12812486-5	13782648	R624 1486
15304718	GT 280 Sealed	Female	.5	20	USA	HT12812486-5	13782648	R624 1486
15304719	GT 280 Sealed	Female	.8	18	USA	HT12812486-5	13782648	R624 1486
15304719	GT 280 Sealed	Female	1	16	USA	HT12812486-5	13782648	R624 1486
15304730	GT 280 Sealed	Male	.35	22	USA	HT12812486-5	13782648	R624 1486
15304730	GT 280 Sealed	Male	.5	20	USA	HT12812486-5	13782648	R624 1486
15304731	GT 280 Sealed	Male	.8	18	USA	HT12812486-5	13782648	R624 1486
15304731	GT 280 Sealed	Male	1	16	USA	HT12812486-5	13782648	R624 1486
12191812	GT 150 Unsealed	Female	.8	18	USA	HT11502487-5	13782649	R624 1487
12191812	GT 150 Unsealed	Female	1	16	USA	HT11502487-5	13782649	R624 1487
15304701	GT 150 Unsealed	Male	.35	22	USA	HT11502487-5	13782649	R624 1487
15304701	GT 150 Unsealed	Male	.5	20	USA	HT11502487-5	13782649	R624 1487
15304702	GT 150 Unsealed	Male	.8	18	USA	HT11502487-5	13782649	R624 1487
15304702	GT 150 Unsealed	Male	1	16	USA	HT11502487-5	13782649	R624 1487
15393149	GT 150 Unsealed	Male	.35	22	USA	HT11502487-5	13782649	R624 1487
15393149	GT 150 Unsealed	Male	.5	20	USA	HT11502487-5	13782649	R624 1487
15393150	GT 150 Unsealed	Female	.5	20	USA	HT11502487-5	13782649	R624 1487
15496301	GT 150 Unsealed	Female	.5	20	USA	HT11502487-5	13782649	R624 1487
15496302	GT 150 Unsealed	Female	.8	18	USA	HT11502487-5	13782649	R624 1487
15496302	GT 150 Unsealed	Female	1	16	USA	HT11502487-5	13782649	R624 1487
15497764	GT 150 Unsealed	Male	.8	18	USA	HT11502487-5	13782649	R624 1487
15497764	GT 150 Unsealed	Male	1	16	USA	HT11502487-5	13782649	R624 1487
12191811	GT 150 Unsealed	Female	.35	22	USA	HT11502487-5	13782649	R624 1487
12191811	GT 150 Unsealed	Female	.50	20	USA	HT11502487-5	13782649	R624 1487
15326266	GT 150 Sealed	Female	.35	22	USA	HT11510488-5	13782650	R624 1488
15326266	GT 150 Sealed	Female	.5	20	USA	HT11510488-5	13782650	R624 1488
15326267	GT 150 Sealed	Female	.8	18	USA	HT11510488-5	13782650	R624 1488
15423490	GT 150 Sealed	Female	.35	22	USA	HT11510488-5	13782650	R624 1488
15423490	GT 150 Sealed	Female	.5	20	USA	HT11510488-5	13782650	R624 1488
15482008	GT 150 Sealed	Female	.8	18	USA	HT11510488-5	13782650	R624 1488
12191818	GT 150 Sealed	Female	.35	22	USA	HT11512489-5	13782651	R624 1489

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12191818	GT 150 Sealed	Female	.5	20	USA	HT11512489-5	13782651	R624 1489
12191819	GT 150 Sealed	Female	.8	18	USA	HT11512489-5	13782651	R624 1489
12191819	GT 150 Sealed	Female	1	16	USA	HT11512489-5	13782651	R624 1489
13522325	GT 150 Sealed	Female	.35	22	USA	HT11512489-5	13782651	R624 1489
13522325	GT 150 Sealed	Female	.5	20	USA	HT11512489-5	13782651	R624 1489
15304707	GT 150 Sealed	Male	.8	18	USA	HT11512489-5	13782651	R624 1489
15304707	GT 150 Sealed	Male	1	16	USA	HT11512489-5	13782651	R624 1489
15326268	GT 150 Sealed	Male	.35	22	USA	HT11512489-5	13782651	R624 1489
15326268	GT 150 Sealed	Male	.5	20	USA	HT11512489-5	13782651	R624 1489
15326269	GT 150 Sealed	Male	.8	18	USA	HT11512489-5	13782651	R624 1489
15326269	GT 150 Sealed	Male	1	16	USA	HT11512489-5	13782651	R624 1489
15326426	GT 150 Sealed	Female	.35	22	USA	HT11512489-5	13782651	R624 1489
15326426	GT 150 Sealed	Female	.5	20	USA	HT11512489-5	13782651	R624 1489
15373402	GT 150 Sealed	Male	.35	22	USA	HT11512489-5	13782651	R624 1489
15373402	GT 150 Sealed	Male	.5	20	USA	HT11512489-5	13782651	R624 1489
15373403	GT 150 Sealed	Male	.8	18	USA	HT11512489-5	13782651	R624 1489
15373403	GT 150 Sealed	Male	1	16	USA	HT11512489-5	13782651	R624 1489
12089290	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12089290	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490
12103881	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12103881	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12124075	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12124075	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12124076	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12124076	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490
12152248	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12161184	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12161184	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12162248	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12176860	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12176860	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12191005	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490
12191054	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12191054	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12191055	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12191056	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12191056	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
15426815	MTS-B	Female	.35	22	USA	HT43000491-5	13782653	R624 1491
15426815	MTS-B	Female	.5	20	USA	HT43000491-5	13782653	R624 1491
15426817	MTS-B	Female	.8	18	USA	HT43000491-5	13782653	R624 1491
15426818	MTS-B	Female	.8	18	USA	HT43000491-5	13782653	R624 1491
15426816	MTS-B	Female	.35	22	USA	HT43000491-5	13782653	R624 1491
15426816	MTS-B	Female	.50	20	USA	HT43000491-5	13782653	R624 1491
15304720	GT 280 Sealed	Female	3	12	USA	HT12812492-5	13782654	R624 1492
15304732	GT 280 Sealed	Male	3	12	USA	HT12812492-5	13782654	R624 1492
15326004	GT 280 Sealed	Female	5	10	USA	HT12812492-5	13782654	R624 1492
15392777	GT 280 Sealed	Female	5	10	USA	HT12812492-5	13782654	R624 1492
15304712	GT 280 Unsealed	Female	2	14	USA	HT12802493-5	13782655	R624 1493
15304713	GT 280 Unsealed	Female	5	10	USA	HT12802493-5	13782655	R624 1493
15304724	GT 280 Unsealed	Male	2	14	USA	HT12802493-5	13782655	R624 1493
15304725	GT 280 Unsealed	Male	5	10	USA	HT12802493-5	13782655	R624 1493
15366612	GT 280 Unsealed	Female	5	10	USA	HT12802493-5	13782655	R624 1493
15366613	GT 280 Unsealed	Female	2	14	USA	HT12802493-5	13782655	R624 1493
12084200	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12084200	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12092697	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12092697	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12160222	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12160222	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12161184	Metri Pack 150 P2S	Female	.8	18	USA	HT21510494-5	13782656	R624 1494
12161184	Metri Pack 150 P2S	Female	1	16	USA	HT21510494-5	13782656	R624 1494
12176637	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12176637	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12176890	Metri Pack 150 P2S	Female	.8	18	USA	HT21510494-5	13782656	R624 1494
15326306	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
15326306	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
15326396	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
15326396	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15326396	Metri Pack 150 Sealed	Female	.50	20	USA	HT21510494-5	13782656	R624 1494
12191887	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12177150	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12092624	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12045773	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12045773	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12045773	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12077628	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
12077628	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12092624	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12092624	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12092698	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
12092698	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12177150	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12177150	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12191887	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12191887	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12191888	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
12191888	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
15359163	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
15359163	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12064971	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
12064971	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
12129373	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
12129373	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
12129484	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500496-5	13782658	R624 1496
12129484	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500496-5	13782658	R624 1496
13517879	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
13525297	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
13525297	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
15317879	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
12160811	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12110502	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12092621	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12047581	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12040993	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12040993	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12040993	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12047581	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12047581	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12092621	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12092621	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12110502	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12110502	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12160811	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12160811	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12077413	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12077413	Metri Pack 280 Sealed	Female	5	10	USA	HT22810498-5	13782660	R624 1498
12110853	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12110853	Metri Pack 280 Sealed	Female	5	10	USA	HT22810498-5	13782660	R624 1498
12129493	Metri Pack 280 Sealed	Female	2	14	USA	HT22810498-5	13782660	R624 1498
12129493	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12176300	Metri Pack 280 Sealed	Female	2	14	USA	HT22810498-5	13782660	R624 1498
12176300	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12176387	Metri Pack 280 Sealed	Female	5	10	USA	HT22810498-5	13782660	R624 1498
12176388	Metri Pack 280 Sealed	Female	2	14	USA	HT22810498-5	13782660	R624 1498
12176388	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12077939	Metri Pack 280 P2S	Female	.5	20	USA	HT22810499-5	13782661	R624 1499
12077939	Metri Pack 280 P2S	Female	.8	18	USA	HT22810499-5	13782661	R624 1499
12077939	Metri Pack 280 P2S	Female	1	16	USA	HT22810499-5	13782661	R624 1499
12110158	Metri Pack 280 P2S	Female	.5	20	USA	HT22810499-5	13782661	R624 1499
12110158	Metri Pack 280 P2S	Female	.8	18	USA	HT22810499-5	13782661	R624 1499
12110158	Metri Pack 280 P2S	Female	1	16	USA	HT22810499-5	13782661	R624 1499
12110845	Metri Pack 280 Sealed	Female	2	14	USA	HT22810499-5	13782661	R624 1499
12110845	Metri Pack 280 Sealed	Female	3	12	USA	HT22810499-5	13782661	R624 1499
12160248	Metri Pack 280 P2S	Female	.5	20	USA	HT22810499-5	13782661	R624 1499
12160248	Metri Pack 280 P2S	Female	.8	18	USA	HT22810499-5	13782661	R624 1499
12160248	Metri Pack 280 P2S	Female	1	16	USA	HT22810499-5	13782661	R624 1499

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12103360	Metri Pack 280 P2S	Female	.35	22	USA	HT22800500-5	13782662	R624 1500
12103360	Metri Pack 280 P2S	Female	.5	20	USA	HT22800500-5	13782662	R624 1500
12077411	Metri Pack 280 Sealed	Female	.5	20	USA	HT22810501-5	13782663	R624 1501
12077411	Metri Pack 280 Sealed	Female	.8	18	USA	HT22810501-5	13782663	R624 1501
12077411	Metri Pack 280 Sealed	Female	1	16	USA	HT22810501-5	13782663	R624 1501
12176389	Metri Pack 280 Sealed	Female	.8	18	USA	HT22810501-5	13782663	R624 1501
12176389	Metri Pack 280 Sealed	Female	1	16	USA	HT22810501-5	13782663	R624 1501
12077411	Metri Pack 280 Sealed	Female	.35	22	USA	HT22810501-5	13782663	R624 1501
12084201	Metri Pack 280 Sealed	Female	.35	22	USA	HT22812502-5	13782664	R624 1502
12084201	Metri Pack 280 Sealed	Female	.5	20	USA	HT22812502-5	13782664	R624 1502
12110847	Metri Pack 280 Sealed	Female	.8	18	USA	HT22812502-5	13782664	R624 1502
12110847	Metri Pack 280 Sealed	Female	1	16	USA	HT22812502-5	13782664	R624 1502
12176390	Metri Pack 280 Sealed	Female	.35	22	USA	HT22812502-5	13782664	R624 1502
12176390	Metri Pack 280 Sealed	Female	.5	20	USA	HT22812502-5	13782664	R624 1502
12124977	Metri Pack 280 Sealed	Male	.35	22	USA	HT22811503-5	13782665	R624 1503
12124977	Metri Pack 280 Sealed	Male	.5	20	USA	HT22811503-5	13782665	R624 1503
12129497	Metri Pack 280 Sealed	Male	2	14	USA	HT22811503-5	13782665	R624 1503
12129497	Metri Pack 280 Sealed	Male	3	12	USA	HT22811503-5	13782665	R624 1503
12020116	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802504-5	13782666	R624 1504
15310040	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802504-5	13782666	R624 1504
12020388	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802504-5	13782666	R624 1504
12020116	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802504-5	13782666	R624 1504
12020388	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802504-5	13782666	R624 1504
12066214	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12066214	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12103347	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12103347	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12129061	Metri Pack 280 Unsealed	Female	.35 (2 cables)	22	USA	HT22802504-5	13782666	R624 1504
12129424	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12129424	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12129663	Metri Pack 280 Unsealed	Female	3	12	USA	HT22802504-5	13782666	R624 1504
12191479	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12191479	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
15310040	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802504-5	13782666	R624 1504

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15324339	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
15324339	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
15324341	Metri Pack 280 Unsealed	Female	3	12	USA	HT22802504-5	13782666	R624 1504
15326543	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
15326543	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12129061	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802504-5	13782666	R624 1504
12110842	Metri Pack 280 Unsealed	Female	3	12	USA	HT22800505-5	13782667	R624 1505
12124639	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22800505-5	13782667	R624 1505
12124639	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22800505-5	13782667	R624 1505
12162597	Metri Pack 280 Unsealed	Female	3	12	USA	HT22800505-5	13782667	R624 1505
12162622	Metri Pack 280 Unsealed	Female	3	12	USA	HT22800505-5	13782667	R624 1505
12015823	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12015823	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12020389	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802506-5	13782668	R624 1506
12020389	Metri Pack 280 Unsealed	Male	.8	18	USA	HT22802506-5	13782668	R624 1506
12020389	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802506-5	13782668	R624 1506
12092696	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12059147	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12034046	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12034046	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12124085	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802506-5	13782668	R624 1506
12034047	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802506-5	13782668	R624 1506
12034047	Metri Pack 280 Unsealed	Male	.8	18	USA	HT22802506-5	13782668	R624 1506
12034047	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802506-5	13782668	R624 1506
12059147	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12092696	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12124085	Metri Pack 280 Unsealed	Male	.8	18	USA	HT22802506-5	13782668	R624 1506
12124085	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802506-5	13782668	R624 1506
12110843	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
12110843	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
12129498	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802507-5	13782669	R624 1507
12129498	Metri Pack 280 Unsealed	Male	3	12	USA	HT22802507-5	13782669	R624 1507
12162596	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
12162596	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12162621	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
12162621	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
15359183	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
15359183	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
15484100	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
15484100	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
12052217	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802508-5	13782670	R624 1508
12052217	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802508-5	13782670	R624 1508
12066271	Metri Pack 280 Unsealed	Male	.35	22	USA	HT22802508-5	13782670	R624 1508
12066271	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802508-5	13782670	R624 1508
12110844	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12110844	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12129422	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802508-5	13782670	R624 1508
12129422	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802508-5	13782670	R624 1508
12162595	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12162595	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12162620	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12162620	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12176667	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12176667	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
15318039	Metri Pack 280 Unsealed	Male	.35	22	USA	HT22802508-5	13782670	R624 1508
15318039	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802508-5	13782670	R624 1508
15479524	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
15479524	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12020035	Metri Pack 630 Unsealed	Female	.50 (2 cables)	20	USA	HT26302509-5	13782671	R624 1509
12020035	Metri Pack 630 Unsealed	Female	.80 (2 cables)	18	USA	HT26302509-5	13782671	R624 1509
12084596	Metri Pack 630 Unsealed	Female	2.00 (2 cables)	14	USA	HT26302509-5	13782671	R624 1509
12084596	Metri Pack 630 Unsealed	Female	3.00 (2 cables)	12	USA	HT26302509-5	13782671	R624 1509
12020365	Metri Pack 630 Unsealed	Male	3 (2 cables)	12	USA	HT26302509-5	13782671	R624 1509
12015839	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015839	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12033982	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015870	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015865	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12015865	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12015870	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12020126	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302510-5	13782672	R624 1510
12020126	Metri Pack 630 Unsealed	Male	2	14	USA	HT26302510-5	13782672	R624 1510
12020390	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302510-5	13782672	R624 1510
12020390	Metri Pack 630 Unsealed	Male	2	14	USA	HT26302510-5	13782672	R624 1510
12033982	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12052224	Metri Pack 630 Unsealed	Female	3	12	USA	HT26302510-5	13782672	R624 1510
12052826	Metri Pack 630 Unsealed	Male	3	12	USA	HT26302510-5	13782672	R624 1510
12015837	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015837	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015838	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015838	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015839	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015839	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12092584	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015874	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015869	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015864	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015864	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015865	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015865	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12033982	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015870	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015869	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015870	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015874	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12020365	Metri Pack 630 Unsealed	Male	3.00 (2 cables)	12	USA	HT26300511-5	13782673	R624 1511
12033982	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12092584	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12020035	Metri Pack 630 Unsealed	Female	.50 (2 cables)	20	USA	HT26300511-5	13782673	R624 1511
12020035	Metri Pack 630 Unsealed	Female	.80 (2 cables)	18	USA	HT26300511-5	13782673	R624 1511
12020391	Metri Pack 630 Unsealed	Male	.8	18	USA	HT26302512-5	13782674	R624 1512
12020125	Metri Pack 630 Unsealed	Male	.8	18	USA	HT26302512-5	13782674	R624 1512

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12020125	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302512-5	13782674	R624 1512
12020391	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302512-5	13782674	R624 1512
12052222	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12052222	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26302512-5	13782674	R624 1512
12052225	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12066268	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12066275	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12066276	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26302512-5	13782674	R624 1512
12066454	Metri Pack 630 Unsealed	Male	.35	22	USA	HT26302512-5	13782674	R624 1512
12066454	Metri Pack 630 Unsealed	Male	.5	20	USA	HT26302512-5	13782674	R624 1512
12048159	Metri Pack 280 Sealed	Male	.5	20	USA	HT22812513-5	13782675	R624 1513
12048159	Metri Pack 280 Sealed	Male	.8	18	USA	HT22812513-5	13782675	R624 1513
12048159	Metri Pack 280 Sealed	Male	1	16	USA	HT22812513-5	13782675	R624 1513
12052455	Metri Pack 630 Sealed	Female	1	16	USA	HT26312515-5	13782676	R624 1515
12052455	Metri Pack 630 Sealed	Female	2	14	USA	HT26312515-5	13782676	R624 1515
12064735	Metri Pack 630 Sealed	Male	1	16	USA	HT26312515-5	13782676	R624 1515
12064735	Metri Pack 630 Sealed	Male	2	14	USA	HT26312515-5	13782676	R624 1515
12066559	Metri Pack 630 Sealed	Female	1	16	USA	HT26312515-5	13782676	R624 1515
12066559	Metri Pack 630 Sealed	Female	2	14	USA	HT26312515-5	13782676	R624 1515
12048450	Metri Pack 480 Sealed	Female	.5	20	USA	HT24810516-5	13782677	R624 1516
12048450	Metri Pack 480 Sealed	Female	.8	18	USA	HT24810516-5	13782677	R624 1516
12048451	Metri Pack 480 Sealed	Female	1	16	USA	HT24810516-5	13782677	R624 1516
12048451	Metri Pack 480 Sealed	Female	2	14	USA	HT24810516-5	13782677	R624 1516
12065196	Metri Pack 480 Sealed	Male	.8	18	USA	HT24811517-5	13782678	R624 1517
12065196	Metri Pack 480 Sealed	Male	1	16	USA	HT24811517-5	13782678	R624 1517
12065196	Metri Pack 480 Sealed	Male	2	14	USA	HT24811517-5	13782678	R624 1517
12052172	Metri Pack 480 Sealed	Male	5	10	USA	HT24811518-5	13782679	R624 1518
12065197	Metri Pack 480 Sealed	Male	3	12	USA	HT24811518-5	13782679	R624 1518
15332185	Metri Pack 480 Sealed	Female	5	10	USA	HT24812518-5	13782679	R624 1518
12020120	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802519-5	13782680	R624 1519
12020120	Metri Pack 480 Unsealed	Male	2	14	USA	HT24802519-5	13782680	R624 1519
12020392	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802519-5	13782680	R624 1519
12020392	Metri Pack 480 Unsealed	Male	2	14	USA	HT24802519-5	13782680	R624 1519
12052221	Metri Pack 480 Unsealed	Female	3	12	USA	HT24802519-5	13782680	R624 1519

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12052827	Metri Pack 480 Unsealed	Male	3	12	USA	HT24802519-5	13782680	R624 1519
12059243	Metri Pack 480 Unsealed	Female	3	12	USA	HT24802519-5	13782680	R624 1519
12124304	Metri Pack 480 Unsealed	Female	1	16	USA	HT24802519-5	13782680	R624 1519
12124304	Metri Pack 480 Unsealed	Female	2	14	USA	HT24802519-5	13782680	R624 1519
12020119	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802519-5	13782680	R624 1519
12020366	Metri Pack 480 Unsealed	Female	.50 & 1.00 (2 cables)	20	USA	HT24800520-5	13782681	R624 1520
12124026	Metri Pack 480 Unsealed	Female	.80 (2 cables)	18	USA	HT24800520-5	13782681	R624 1520
12124026	Metri Pack 480 Unsealed	Female	1.00 (2 cables)	16	USA	HT24800520-5	13782681	R624 1520
12124057	Metri Pack 480 Unsealed	Female	.80 (2 cables)	18	USA	HT24800520-5	13782681	R624 1520
12124057	Metri Pack 480 Unsealed	Female	1.00 (2 cables)	16	USA	HT24800520-5	13782681	R624 1520
12052219	Metri Pack 480 Unsealed	Female	.35	22	USA	HT24802521-5	13782682	R624 1521
12052219	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802521-5	13782682	R624 1521
12066267	Metri Pack 480 Unsealed	Female	.35	22	USA	HT24802521-5	13782682	R624 1521
12066267	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802521-5	13782682	R624 1521
12066269	Metri Pack 480 Unsealed	Male	.35	22	USA	HT24802521-5	13782682	R624 1521
12066269	Metri Pack 480 Unsealed	Male	.5	20	USA	HT24802521-5	13782682	R624 1521
15336111	Metri Pack 480 Unsealed	Female	.35	22	USA	HT24802521-5	13782682	R624 1521
15336111	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802521-5	13782682	R624 1521
12048074	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510527-5	13782683	R624 1527
12048074	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12092622	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12092622	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12092667	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12092667	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12160223	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12160223	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12176636	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12176636	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
15326225	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
15326225	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
15366078	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
15366078	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12020801	Weather Pack Sealed	Female	.35	22	USA	HT31012528-5	13782684	R624 1528
12089040	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12089040	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12089108	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12089108	Weather Pack Sealed	Female	.8	18	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12089307	Weather Pack Sealed	Male	.35	22	USA	HT31012528-5	13782684	R624 1528
12191506	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12191506	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12191586	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12191586	Weather Pack Sealed	Female	.8	18	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Female	.8	18	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Female	.80	18	USA	HT31012528-5	13782684	R624 1528
12048254	Metri Pack 280 Sealed	Male	3	12	USA	HT22812529-5	13782685	R624 1529
12048254	Metri Pack 280 Sealed	Male	5	10	USA	HT22812529-5	13782685	R624 1529
12110846	Metri Pack 280 Sealed	Female	.35	22	USA	HT22812529-5	13782685	R624 1529
12110846	Metri Pack 280 Sealed	Female	.5	20	USA	HT22812529-5	13782685	R624 1529
12129409	Metri Pack 280 Sealed	Female	1	16	USA	HT22812529-5	13782685	R624 1529
12129409	Metri Pack 280 Sealed	Female	2	14	USA	HT22812529-5	13782685	R624 1529
12047767	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
12047767	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
12047767	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530
12092623	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
12092623	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
12092623	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530
13518011	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
13518011	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
13518011	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530
15326030	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
15326030	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
15326030	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12059293	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12034426	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12034132	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12015860	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12015860	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12020393	Metri Pack 480 Unsealed	Male	.5	20	USA	HT24802531-5	13782687	R624 1531
12020119	Metri Pack 480 Unsealed	Male	.5	20	USA	HT24802531-5	13782687	R624 1531
12020119	Metri Pack 480 Unsealed	Male	.8	18	USA	HT24802531-5	13782687	R624 1531
12020119	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802531-5	13782687	R624 1531
12020393	Metri Pack 480 Unsealed	Male	.8	18	USA	HT24802531-5	13782687	R624 1531
12020393	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802531-5	13782687	R624 1531
12034132	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12034426	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12059293	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12040902	Mirco Pack 100 Unsealed	Male	.35	22	USA	HT41002532-5	13782688	R624 1532
12040902	Mirco Pack 100 Unsealed	Male	.5	20	USA	HT41002532-5	13782688	R624 1532
12146447	Mirco Pack 100 Unsealed	Female	.35	22	USA	HT41002532-5	13782688	R624 1532
12146447	Mirco Pack 100 Unsealed	Female	.5	20	USA	HT41002532-5	13782688	R624 1532
12146448	Mirco Pack 100 Unsealed	Female	.8	18	USA	HT41002532-5	13782688	R624 1532
12146448	Mirco Pack 100 Unsealed	Female	1	16	USA	HT41002532-5	13782688	R624 1532
12084449	Mirco Pack 100 Unsealed	Male	.5	20	USA	HT41001533-5	13782689	R624 1533
12084449	Mirco Pack 100 Unsealed	Male	.8	18	USA	HT41001533-5	13782689	R624 1533
12084912	Micro Pack 100W	Female	.8	18	USA	HT42000534-5	13782690	R624 1534
12084913	Micro Pack 100W	Female	.35	22	USA	HT42000534-5	13782690	R624 1534
12084913	Micro Pack 100W	Female	.5	20	USA	HT42000534-5	13782690	R624 1534
15424449	DHD 1.6	Female	.35	22	USA	HT51602535-5	13782691	R624 1535
15424449	DHD 1.6	Female	.5	20	USA	HT51602535-5	13782691	R624 1535
15424452	DHD 1.6	Male	.35	22	USA	HT51602535-5	13782691	R624 1535
15424452	DHD 1.6	Male	.5	20	USA	HT51602535-5	13782691	R624 1535
15424453	DHD 1.6	Male	.8	18	USA	HT51602535-5	13782691	R624 1535
15424453	DHD 1.6	Male	1	16	USA	HT51602535-5	13782691	R624 1535
15424450	DHD 1.6	Female	.8	18	USA	HT51602536-5	13782692	R624 1536
15424450	DHD 1.6	Female	1	16	USA	HT51602536-5	13782692	R624 1536
15424451	DHD 1.6	Female	2	14	USA	HT51602536-5	13782692	R624 1536

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15424451	DHD 1.6	Female	3	12	USA	HT51602536-5	13782692	R624 1536
15424454	DHD 1.6	Male	2	14	USA	HT51602536-5	13782692	R624 1536
15424454	DHD 1.6	Male	3	12	USA	HT51602536-5	13782692	R624 1536
12052139	Metri Pack 480 Sealed	Female	3	12	USA	HT24810537-5	13782693	R624 1537
12052139	Metri Pack 480 Sealed	Female	5	10	USA	HT24810537-5	13782693	R624 1537
15332185	Metri Pack 480 Sealed	Female	5	10	USA	HT24810537-5	13782693	R624 1537
13551420	100V DHD 20	Female	.35	22	USA	HT52000538-5	13782694	R624 1538
13551420	100V DHD 20	Female	.5	20	USA	HT52000538-5	13782694	R624 1538
15489000	100V DHD 20	Female	.8	18	USA	HT52000538-5	13782694	R624 1538
15489000	100V DHD 20	Female	1	16	USA	HT52000538-5	13782694	R624 1538
15491265	Yasaki Kaizen 0.64 Micros	Female	.35	22	USA	HT45002539-5	13782695	R624 1539
15491265	Yasaki Kaizen 0.64 Micros	Female	.5	20	USA	HT45002539-5	13782695	R624 1539
15491296	Yasaki Kaizen 0.64 Micros	Female	.35	22	USA	HT45002539-5	13782695	R624 1539
15491296	Yasaki Kaizen 0.64 Micros	Female	.5	20	USA	HT45002539-5	13782695	R624 1539
15435885	100W Sealed	Female	.35	22	USA	HT42010540-5	13782696	R624 1540
15435885	100W Sealed	Female	.5	20	USA	HT42010540-5	13782696	R624 1540
15435886	100W Sealed	Female	.35	22	USA	HT42010540-5	13782696	R624 1540
15435886	100W Sealed	Female	.5	20	USA	HT42010540-5	13782696	R624 1540
12160552	100W Sealed	Male	.35	22	USA	HT42011541-5	13782697	R624 1541
12160552	100W Sealed	Male	.5	20	USA	HT42011541-5	13782697	R624 1541
12129750	100W Sealed	Female	.8	18	USA	HT42010542-5	13782698	R624 1542
12146034	100W Sealed	Female	.35	22	USA	HT42010542-5	13782698	R624 1542
12146034	100W Sealed	Female	.5	20	USA	HT42010542-5	13782698	R624 1542
15317923	100W Sealed	Female	.8	18	USA	HT42010543-5	13782699	R624 1543
15317924	100W Sealed	Female	.35	22	USA	HT42010543-5	13782699	R624 1543
15317924	100W Sealed	Female	.5	20	USA	HT42010543-5	13782699	R624 1543
12160551	100W Sealed	Male	.5	20	USA	HT42011544-5	13782700	R624 1544
12160551	100W Sealed	Male	.8	18	USA	HT42011544-5	13782700	R624 1544
15256827	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15256827	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15329541	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15356027	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15356027	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15356926	Micro 6 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15356826	Micro 6 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15359541	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15359541	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15394147	Micro 6 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15401440	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15401440	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15410620	Micro 6 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15410621	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15410621	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15410628	Micro 6 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
PE075702	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
PE075702	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
PE075782	Micro 6 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
PE075782	Micro 6 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
13697408	HES 1.6 Thin Wall	Male	.5	20	USA	HT51601597-5	13853877	R624 1597
13697408	HES 1.6 Thin Wall	Male	.8	18	USA	HT51601597-5	13853877	R624 1597
13697409	HES 1.6 Thin Wall	Male	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697410	HES 1.6 Thin Wall	Male	2.0	14	USA	HT51601597-5	13853877	R624 1597
13697411	HES 1.6 Thin Wall	Male	.5	20	USA	HT51601597-5	13853877	R624 1597
13697411	HES 1.6 Thin Wall	Male	.8	18	USA	HT51601597-5	13853877	R624 1597
13697412	HES 1.6 Thin Wall	Male	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697413	HES 1.6 Thin Wall	Male	2.0	14	USA	HT51601597-5	13853877	R624 1597
13697414	HES 1.6 Thin Wall	Female	.5	20	USA	HT51601597-5	13853877	R624 1597
13697414	HES 1.6 Thin Wall	Female	.8	18	USA	HT51601597-5	13853877	R624 1597
13697415	HES 1.6 Thin Wall	Female	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697416	HES 1.6 Thin Wall	Female	2.0	14	USA	HT51601597-5	13853877	R624 1597
13697417	HES 1.6 Thin Wall	Female	.5	20	USA	HT51601597-5	13853877	R624 1597
13697417	HES 1.6 Thin Wall	Female	.8	18	USA	HT51601597-5	13853877	R624 1597
13697418	HES 1.6 Thin Wall	Female	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697419	HES 1.6 Thin Wall	Female	2.0	14	USA	HT51601597-5	13853877	R624 1597
13663715	HES 1.6 Regular Wall	Male	.5	20	USA	HT51601598-5	13860274	R624 1598
13663715	HES 1.6 Regular Wall	Male	.8	18	USA	HT51601598-5	13860274	R624 1598
13663716	HES 1.6 Regular Wall	Male	1.0	16	USA	HT51601598-5	13860274	R624 1598
13663717	HES 1.6 Regular Wall	Male	2.0	14	USA	HT51601598-5	13860274	R624 1598

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13663718	HES 1.6 Regular Wall	Female	.5	20	USA	HT51601598-5	13860274	R624 1598
13663718	HES 1.6 Regular Wall	Female	.8	18	USA	HT51601598-5	13860274	R624 1598
13663719	HES 1.6 Regular Wall	Female	1.0	16	USA	HT51601598-5	13860274	R624 1598
13663720	HES 1.6 Regular Wall	Female	2.0	14	USA	HT51601598-5	13860274	R624 1598
13690835	HES 1.6 Regular Wall	Female	.8	18	USA	HT51601598-5	13860274	R624 1598
13690836	HES 1.6 Regular Wall	Female	1.0	16	USA	HT51601598-5	13860274	R624 1598
13690837	HES 1.6 Regular Wall	Female	2.0	14	USA	HT51601598-5	13860274	R624 1598
13690838	HES 1.6 Regular Wall	Male	.5	20	USA	HT51601598-5	13860274	R624 1598
13690838	HES 1.6 Regular Wall	Male	.8	18	USA	HT51601598-5	13860274	R624 1598
13690839	HES 1.6 Regular Wall	Male	1.0	16	USA	HT51601598-5	13860274	R624 1598
13690840	HES 1.6 Regular Wall	Male	2.0	14	USA	HT51601598-5	13860274	R624 1598
13690853	HES 1.6 Regular Wall	Female	.5	20	USA	HT51601598-5	13860274	R624 1598
13711542	HES 1.0 Thin Wall	Male	.35	22	USA	HT51001599-5	13882808	R624 1599
13711542	HES 1.0 Thin Wall	Male	.5	20	USA	HT51001599-5	13882808	R624 1599
13711543	HES 1.0 Thin Wall	Male	.35	22	USA	HT51001599-5	13882808	R624 1599
13711543	HES 1.0 Thin Wall	Male	.5	20	USA	HT51001599-5	13882808	R624 1599
13711544	HES 1.0 Thin Wall	Male	.8	18	USA	HT51001599-5	13882808	R624 1599
13711544	HES 1.0 Thin Wall	Male	1	16	USA	HT51001599-5	13882808	R624 1599
13711545	HES 1.0 Thin Wall	Male	.8	18	USA	HT51001599-5	13882808	R624 1599
13711545	HES 1.0 Thin Wall	Male	1	16	USA	HT51001599-5	13882808	R624 1599
13711546	HES 1.0 Thin Wall	Female	.35	22	USA	HT51001599-5	13882808	R624 1599
13711546	HES 1.0 Thin Wall	Female	.5	20	USA	HT51001599-5	13882808	R624 1599
13711547	HES 1.0 Thin Wall	Female	.35	22	USA	HT51001599-5	13882808	R624 1599
13711547	HES 1.0 Thin Wall	Female	.5	20	USA	HT51001599-5	13882808	R624 1599
13711548	HES 1.0 Thin Wall	Female	.8	18	USA	HT51001599-5	13882808	R624 1599
13711548	HES 1.0 Thin Wall	Female	1	16	USA	HT51001599-5	13882808	R624 1599
13711549	HES 1.0 Thin Wall	Female	.8	18	USA	HT51001599-5	13882808	R624 1599
13711549	HES 1.0 Thin Wall	Female	1	16	USA	HT51001599-5	13882808	R624 1599
13654421	HES 1.0 Regular Wall	Female	.35	22	USA	HT51001600-5	13882809	R624 1600
13654421	HES 1.0 Regular Wall	Female	.5	20	USA	HT51001600-5	13882809	R624 1600
13654422	HES 1.0 Regular Wall	Female	.35	22	USA	HT51001600-5	13882809	R624 1600
13654422	HES 1.0 Regular Wall	Female	.5	20	USA	HT51001600-5	13882809	R624 1600
13654423	HES 1.0 Regular Wall	Male	.35	22	USA	HT51001600-5	13882809	R624 1600
13654423	HES 1.0 Regular Wall	Male	.5	20	USA	HT51001600-5	13882809	R624 1600

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13654424	HES 1.0 Regular Wall	Male	.35	22	USA	HT51001600-5	13882809	R624 1600
13654424	HES 1.0 Regular Wall	Male	.5	20	USA	HT51001600-5	13882809	R624 1600
13663723	HES 1.0 Regular Wall	Male	.8	18	USA	HT51001600-5	13882809	R624 1600
13663723	HES 1.0 Regular Wall	Male	1	16	USA	HT51001600-5	13882809	R624 1600
13663724	HES 1.0 Regular Wall	Male	.8	18	USA	HT51001600-5	13882809	R624 1600
13663724	HES 1.0 Regular Wall	Male	1	16	USA	HT51001600-5	13882809	R624 1600
13663727	HES 1.0 Regular Wall	Female	.8	18	USA	HT51001600-5	13882809	R624 1600
13663727	HES 1.0 Regular Wall	Female	1	16	USA	HT51001600-5	13882809	R624 1600
13663728	HES 1.0 Regular Wall	Female	.8	18	USA	HT51001600-5	13882809	R624 1600
13663728	HES 1.0 Regular Wall	Female	1	16	USA	HT51001600-5	13882809	R624 1600
1366717	HES 1.6 Heavy Wall	Male	3	-	USA	TBD	13895391	R624 1601
1366717	HES 1.6 Regular Wall	Male	3	-	USA	TBD	13895391	R624 1601
1369410	HES 1.6 Thin Wall	Male	3	-	USA	TBD	13895391	R624 1601
13663720	HES 1.6 Heavy Wall	Female	3	-	USA	TBD	13895391	R624 1601
13663720	HES 1.6 Regular Wall	Female	3	-	USA	TBD	13895391	R624 1601
13690837	HES 1.6 Heavy Wall	Female	3	-	USA	TBD	13895391	R624 1601
13690837	HES 1.6 Regular Wall	Female	3	-	USA	TBD	13895391	R624 1601
13690840	HES 1.6 Heavy Wall	Male	3	-	USA	TBD	13895391	R624 1601
13690840	HES 1.6 Regular Wall	Male	3	-	USA	TBD	13895391	R624 1601
13697413	HES 1.6 Thin Wall	Male	3	-	USA	TBD	13895391	R624 1601
13697416	HES 1.6 Thin Wall	Female	3	-	USA	TBD	13895391	R624 1601
13697419	HES 1.6 Thin Wall	Female	3	-	USA	TBD	13895391	R624 1601
15471370	GT 150 Sealed	Female	.8	18	USA	TBD	13915393	R624 1602
15471370	GT 150 Sealed	Female	1.0	16	USA	TBD	13915393	R624 1602
13783263	HES 2.4 Thin Wall	Male	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783265	HES 2.4 Thin Wall	Male	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603
13783267	HES 2.4 Thin Wall	Male	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783269	HES 2.4 Thin Wall	Male	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783273	HES 2.4 Thin Wall	Male	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783277	HES 2.4 Thin Wall	Male	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603
13783282	HES 2.4 Thin Wall	Male	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783284	HES 2.4 Thin Wall	Male	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783287	HES 2.4 Thin Wall	Female	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783289	HES 2.4 Thin Wall	Female	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13783291	HES 2.4 Thin Wall	Female	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783293	HES 2.4 Thin Wall	Female	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783295	HES 2.4 Thin Wall	Female	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783297	HES 2.4 Thin Wall	Female	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603
13783299	HES 2.4 Thin Wall	Female	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783301	HES 2.4 Thin Wall	Female	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783264	HES 2.4 Regular Wall	Male	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783266	HES 2.4 Regular Wall	Male	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783268	HES 2.4 Regular Wall	Male	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783269	HES 2.4 Regular Wall	Male	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13783276	HES 2.4 Regular Wall	Male	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783280	HES 2.4 Regular Wall	Male	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783283	HES 2.4 Regular Wall	Male	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783284	HES 2.4 Regular Wall	Male	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13783288	HES 2.4 Regular Wall	Female	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783290	HES 2.4 Regular Wall	Female	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783292	HES 2.4 Regular Wall	Female	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783293	HES 2.4 Regular Wall	Female	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13783296	HES 2.4 Regular Wall	Female	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783298	HES 2.4 Regular Wall	Female	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783300	HES 2.4 Regular Wall	Female	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783301	HES 2.4 Regular Wall	Female	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13601869	JST AIT 064 F. Terminal	Female	0.5	20	USA	-	13782720	R624 363
13601869	JST AIT 064 F. Terminal	Female	0.35	22	USA	-	13782720	R624 363
15465970	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
15465970	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
15491255	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
15491255	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
13576729	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
13576729	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
13576745	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
13576745	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
13543114	Mirco HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	USA	HT44010576-5	13782705	R624 1576
13543115	Mirco HVT 1.2 Sealed	Female	0.8	18	USA	HT44010576-5	13782705	R624 1576

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13543117	Mirco HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	USA	HT44010576-5	13782705	R624 1576
13543118	Mirco HVT 1.2 Sealed	Female	0.8	18	USA	HT44010576-5	13782705	R624 1576
13543116	Mirco HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	USA	HT49010577-5	13782706	R624 1577
13543119	Mirco HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	USA	HT49010577-5	13782706	R624 1577
13767043	OCS 0.64 IDR Thin Wall	Female	0.8	18	USA	HT62416053-5	13932558	R624 1605
13767044	OCS 0.64 IDR Thin Wall	Female	0.5	20	USA	HT62416053-5	13932558	R624 1605
13767044	OCS 0.64 IDR Thin Wall	Female	0.35	22	USA	HT62416053-5	13932558	R624 1605
13767045	OCS 0.64 IDR Thin Wall	Female	0.13	26	USA	HT62416053-5	13932558	R624 1605
13767046	OCS 0.64 IUR Thin Wall	Female	0.8	18	USA	HT62416053-5	13932558	R624 1605
13767047	OCS 0.64 IUR Thin Wall	Female	0.5	20	USA	HT62416053-5	13932558	R624 1605
13767047	OCS 0.64 IUR Thin Wall	Female	0.35	22	USA	HT62416053-5	13932558	R624 1605
13767048	OCS 0.64 IUR Thin Wall	Female	0.13	26	USA	HT62416053-5	13932558	R624 1605
13726148	OCS 0.64 ISM Thin Wall	Female	0.8	18	USA	HT62416053-5	13932558	R624 1605
13726147	OCS 0.64 ISM Thin Wall	Female	0.5	20	USA	HT62416053-5	13932558	R624 1605
13726147	OCS 0.64 ISM Thin Wall	Female	0.35	22	USA	HT62416053-5	13932558	R624 1605
13726146	OCS 0.64 ISM Thin Wall	Female	0.13	26	USA	HT62416053-5	13932558	R624 1605

RENNSTEIG TOOLS, Inc. | 301 Route 17 North, Suite 800 | Rutherford, NJ 07070
Phone: 330-315-3044 | Fax: 330-319-8135 | Mail: info@rennsteig.us | Web: www.rennsteig.us